

Letters

RESEARCH LETTER

Copper Bromide Laser vs Triple-Combination Cream for the Treatment of Melasma: A Randomized Clinical Trial

Recent studies have suggested the potential effectiveness of targeting the vascular component of melasma.¹⁻⁴ The copper bromide laser (Dual Yellow; Narseld) is a laser with a concomitant-output dual-wavelength light source comprising 90% yellow light at 578 nm, which targets vascular lesions, and 10% green light at 511 nm, which targets pigmentary lesions. There are 2 conflicting reports on the potential value of this laser for treating melasma.^{5,6} The objective of this study was to compare the effectiveness of the copper bromide laser vs the Kligman formula combination cream (a combination of hydroquinone, 5%, dexamethasone acetate, 0.1%, and retinoic acid, 0.1%) in the treatment of melasma.

Methods | We conducted a monocentric, prospective, clinical, randomized, split-face study with blinded evaluation in the Department of Dermatology at the University Hospital of Nice between February 2012 and June 2013. This study was approved by the University Hospital of Nice ethical committee, and written informed consent was obtained from all patients. The full study protocol can be found in the trial protocol in the Supplement.

All patients applied the topical cream to their entire face once a day for 4 weeks. A hemiface was then randomly assigned to be treated with the copper bromide laser, while the other side of the face continued to receive daily application of the topical cream for 3 additional months. Four sessions of copper bromide laser were given at weeks 4, 6, 9, and 12. The yellow and green wavelengths were simultaneously produced at a ratio of 9 to 1. The settings applied during the first laser session were: fluence, 12 J/cm²; 0.6-mm contact tip; and 1 pass. Fluencies were progressively increased, as previously reported.⁵ A 1-mm spot size was then used, and 4 passes were performed in each session. The emission time was 50 to 60 milliseconds and the off time was 70 milliseconds, with 7.7 to 8.3 pulses per second. The end point was erythema and a slight graying of the lesions. A colorless ultrasonic gel was applied directly to the skin before laser treatment. Evaluation was conducted using standardized photographs (VISIA-CR; Canfield Scientific) by two of us (H.M. and F.B.) who were masked to the treatment applied on each side of the face. The treatments' effectiveness was assessed using the Melasma Area and Severity Index (MASI) score for each hemiface. Follow-up visits were conducted at 3 and 6 months. The main evaluation criterion was the patient's MASI score 6 months after the end of treatment. Laser confocal microscopy (VivaScope; MAVIG) was

used to evaluate the evolution of the lesions that were treated between the baseline visit and 6 months after the end of the treatment. Effectiveness and tolerance (according to the patient) were assessed at the end of the study using visual analog scales graded from 0 to 10.

Results | Twenty patients with melasma were included. One was excluded for pregnancy and 3 were unavailable for follow-up (Figure). The patients (17 women and 3 men) had a mean (SD) age of 38.4 (6.2) years (range, 30-53 years) and had had melasma for a mean (SD) of 5.6 (3.4) years (range, 0.5-10.9 years). Three patients had skin type II; 10, type III; and 7, type IV. To treat melasma previously, 16 patients had used a cosmetic bleaching agent; 14, Kligman formula combination cream; and 4, laser. Seven patients had melasma on the forehead; 12 on the cheeks; and 1 on the upper lip. Before treatment, the hemifaces randomized to be treated with laser had a mean (SD) MASI score of 7.91 (5.17); those randomized to continue treatment with Kligman formula combination cream had a mean (SD) score of 7.52 (4.14).

At the end of treatment, the topical cream resulted in a greater decrease in the MASI score compared with the laser treatment ($P = .006$). The MASI score at 6 months was comparable with the score at the beginning of the study in both groups; no

Figure. CONSORT Flow Diagram of Study Selection




Table. Comparison of the Change in MASI Scores for Each Treatment Group^a

Treatment ^b	Baseline (n = 17)	Treatment Conclusion (n = 17)	Follow-up (n = 16)	Change	
				Conclusion – Baseline (n = 17)	Follow-up – Baseline (n = 16)
Kligman formula combination cream	7.29 (4.11)	6.58 (3.30)	7.50 (4.39)	–0.71 (2.05)	–0.02 (1.06)
Kligman formula combination cream followed by laser treatment	7.66 (5.11)	7.81 (4.58)	7.69 (5.16)	0.15 (1.73)	–0.23 (0.76)
P value	NA	NA	NA	.006	.33

Abbreviations: MASI, Melasma Area and Severity Index; NA, not applicable.

^a Data are given as mean (SD) scores. Treatment conclusion indicates values recorded at the end of treatment; follow-up, 6 months after treatment completion.

^b Details of treatment regimens are in the Methods section.

significant difference was observed between the 2 groups ($T_{(1,31)} = 0.15$). No difference could be found when results were analyzed according to the localization and duration of the melasma ($P > .99$ and $P = .87$, respectively). An increased vascularization was noted on the melasma lesions at baseline compared with perilesional skin using VISIA-CR RBX Red subsurface analysis and laser confocal microscopy. However, no decrease in vascularization was observed on the laser-treated side between the baseline and posttreatment visits. At the final visit, no changes in vascularization were noted between the 2 sides. No scarring or postinflammatory hyperpigmentation was noted.

Discussion | Our results show that Kligman formula combination cream is more effective than the copper bromide laser for treating melasma. At the 6-month follow-up, no difference was observed between the 2 approaches and, in both cases, the MASI scores were similar to those observed before treatment. Neither procedure prevented relapse despite the use of sunscreen in all the patients. The lack of changes in vascularization observed via both RBX Red subsurface analysis and laser confocal microscopy between the topical cream- and laser-treated groups suggests that the copper bromide laser did not effectively target the vascular component of melasma. These results show that Kligman formula combination cream remains the most effective treatment for melasma and show the crucial need for prospective randomized studies with long-term follow-up, compared with Kligman formula combination cream, to confirm the effectiveness of any new approach in treating melasma.

H₁, H₂, H₃, H₄, H₅, H₆, H₇, H₈, H₉, H₁₀, H₁₁, H₁₂, H₁₃, H₁₄, H₁₅, H₁₆, H₁₇, H₁₈, H₁₉, H₂₀, H₂₁, H₂₂, H₂₃, H₂₄, H₂₅, H₂₆, H₂₇, H₂₈, H₂₉, H₃₀, H₃₁, H₃₂, H₃₃, H₃₄, H₃₅, H₃₆, H₃₇, H₃₈, H₃₉, H₄₀, H₄₁, H₄₂, H₄₃, H₄₄, H₄₅, H₄₆, H₄₇, H₄₈, H₄₉, H₅₀, H₅₁, H₅₂, H₅₃, H₅₄, H₅₅, H₅₆, H₅₇, H₅₈, H₅₉, H₆₀, H₆₁, H₆₂, H₆₃, H₆₄, H₆₅, H₆₆, H₆₇, H₆₈, H₆₉, H₇₀, H₇₁, H₇₂, H₇₃, H₇₄, H₇₅, H₇₆, H₇₇, H₇₈, H₇₉, H₈₀, H₈₁, H₈₂, H₈₃, H₈₄, H₈₅, H₈₆, H₈₇, H₈₈, H₈₉, H₉₀, H₉₁, H₉₂, H₉₃, H₉₄, H₉₅, H₉₆, H₉₇, H₉₈, H₉₉, H₁₀₀, H₁₀₁, H₁₀₂, H₁₀₃, H₁₀₄, H₁₀₅, H₁₀₆, H₁₀₇, H₁₀₈, H₁₀₉, H₁₁₀, H₁₁₁, H₁₁₂, H₁₁₃, H₁₁₄, H₁₁₅, H₁₁₆, H₁₁₇, H₁₁₈, H₁₁₉, H₁₂₀, H₁₂₁, H₁₂₂, H₁₂₃, H₁₂₄, H₁₂₅, H₁₂₆, H₁₂₇, H₁₂₈, H₁₂₉, H₁₃₀, H₁₃₁, H₁₃₂, H₁₃₃, H₁₃₄, H₁₃₅, H₁₃₆, H₁₃₇, H₁₃₈, H₁₃₉, H₁₄₀, H₁₄₁, H₁₄₂, H₁₄₃, H₁₄₄, H₁₄₅, H₁₄₆, H₁₄₇, H₁₄₈, H₁₄₉, H₁₅₀, H₁₅₁, H₁₅₂, H₁₅₃, H₁₅₄, H₁₅₅, H₁₅₆, H₁₅₇, H₁₅₈, H₁₅₉, H₁₆₀, H₁₆₁, H₁₆₂, H₁₆₃, H₁₆₄, H₁₆₅, H₁₆₆, H₁₆₇, H₁₆₈, H₁₆₉, H₁₇₀, H₁₇₁, H₁₇₂, H₁₇₃, H₁₇₄, H₁₇₅, H₁₇₆, H₁₇₇, H₁₇₈, H₁₇₉, H₁₈₀, H₁₈₁, H₁₈₂, H₁₈₃, H₁₈₄, H₁₈₅, H₁₈₆, H₁₈₇, H₁₈₈, H₁₈₉, H₁₉₀, H₁₉₁, H₁₉₂, H₁₉₃, H₁₉₄, H₁₉₅, H₁₉₆, H₁₉₇, H₁₉₈, H₁₉₉, H₂₀₀, H₂₀₁, H₂₀₂, H₂₀₃, H₂₀₄, H₂₀₅, H₂₀₆, H₂₀₇, H₂₀₈, H₂₀₉, H₂₁₀, H₂₁₁, H₂₁₂, H₂₁₃, H₂₁₄, H₂₁₅, H₂₁₆, H₂₁₇, H₂₁₈, H₂₁₉, H₂₂₀, H₂₂₁, H₂₂₂, H₂₂₃, H₂₂₄, H₂₂₅, H₂₂₆, H₂₂₇, H₂₂₈, H₂₂₉, H₂₃₀, H₂₃₁, H₂₃₂, H₂₃₃, H₂₃₄, H₂₃₅, H₂₃₆, H₂₃₇, H₂₃₈, H₂₃₉, H₂₄₀, H₂₄₁, H₂₄₂, H₂₄₃, H₂₄₄, H₂₄₅, H₂₄₆, H₂₄₇, H₂₄₈, H₂₄₉, H₂₅₀, H₂₅₁, H₂₅₂, H₂₅₃, H₂₅₄, H₂₅₅, H₂₅₆, H₂₅₇, H₂₅₈, H₂₅₉, H₂₆₀, H₂₆₁, H₂₆₂, H₂₆₃, H₂₆₄, H₂₆₅, H₂₆₆, H₂₆₇, H₂₆₈, H₂₆₉, H₂₇₀, H₂₇₁, H₂₇₂, H₂₇₃, H₂₇₄, H₂₇₅, H₂₇₆, H₂₇₇, H₂₇₈, H₂₇₉, H₂₈₀, H₂₈₁, H₂₈₂, H₂₈₃, H₂₈₄, H₂₈₅, H₂₈₆, H₂₈₇, H₂₈₈, H₂₈₉, H₂₉₀, H₂₉₁, H₂₉₂, H₂₉₃, H₂₉₄, H₂₉₅, H₂₉₆, H₂₉₇, H₂₉₈, H₂₉₉, H₃₀₀, H₃₀₁, H₃₀₂, H₃₀₃, H₃₀₄, H₃₀₅, H₃₀₆, H₃₀₇, H₃₀₈, H₃₀₉, H₃₁₀, H₃₁₁, H₃₁₂, H₃₁₃, H₃₁₄, H₃₁₅, H₃₁₆, H₃₁₇, H₃₁₈, H₃₁₉, H₃₂₀, H₃₂₁, H₃₂₂, H₃₂₃, H₃₂₄, H₃₂₅, H₃₂₆, H₃₂₇, H₃₂₈, H₃₂₉, H₃₃₀, H₃₃₁, H₃₃₂, H₃₃₃, H₃₃₄, H₃₃₅, H₃₃₆, H₃₃₇, H₃₃₈, H₃₃₉, H₃₄₀, H₃₄₁, H₃₄₂, H₃₄₃, H₃₄₄, H₃₄₅, H₃₄₆, H₃₄₇, H₃₄₈, H₃₄₉, H₃₅₀, H₃₅₁, H₃₅₂, H₃₅₃, H₃₅₄, H₃₅₅, H₃₅₆, H₃₅₇, H₃₅₈, H₃₅₉, H₃₆₀, H₃₆₁, H₃₆₂, H₃₆₃, H₃₆₄, H₃₆₅, H₃₆₆, H₃₆₇, H₃₆₈, H₃₆₉, H₃₇₀, H₃₇₁, H₃₇₂, H₃₇₃, H₃₇₄, H₃₇₅, H₃₇₆, H₃₇₇, H₃₇₈, H₃₇₉, H₃₈₀, H₃₈₁, H₃₈₂, H₃₈₃, H₃₈₄, H₃₈₅, H₃₈₆, H₃₈₇, H₃₈₈, H₃₈₉, H₃₉₀, H₃₉₁, H₃₉₂, H₃₉₃, H₃₉₄, H₃₉₅, H₃₉₆, H₃₉₇, H₃₉₈, H₃₉₉, H₄₀₀, H₄₀₁, H₄₀₂, H₄₀₃, H₄₀₄, H₄₀₅, H₄₀₆, H₄₀₇, H₄₀₈, H₄₀₉, H₄₁₀, H₄₁₁, H₄₁₂, H₄₁₃, H₄₁₄, H₄₁₅, H₄₁₆, H₄₁₇, H₄₁₈, H₄₁₉, H₄₂₀, H₄₂₁, H₄₂₂, H₄₂₃, H₄₂₄, H₄₂₅, H₄₂₆, H₄₂₇, H₄₂₈, H₄₂₉, H₄₃₀, H₄₃₁, H₄₃₂, H₄₃₃, H₄₃₄, H₄₃₅, H₄₃₆, H₄₃₇, H₄₃₈, H₄₃₉, H₄₄₀, H₄₄₁, H₄₄₂, H₄₄₃, H₄₄₄, H₄₄₅, H₄₄₆, H₄₄₇, H₄₄₈, H₄₄₉, H₄₅₀, H₄₅₁, H₄₅₂, H₄₅₃, H₄₅₄, H₄₅₅, H₄₅₆, H₄₅₇, H₄₅₈, H₄₅₉, H₄₆₀, H₄₆₁, H₄₆₂, H₄₆₃, H₄₆₄, H₄₆₅, H₄₆₆, H₄₆₇, H₄₆₈, H₄₆₉, H₄₇₀, H₄₇₁, H₄₇₂, H₄₇₃, H₄₇₄, H₄₇₅, H₄₇₆, H₄₇₇, H₄₇₈, H₄₇₉, H₄₈₀, H₄₈₁, H₄₈₂, H₄₈₃, H₄₈₄, H₄₈₅, H₄₈₆, H₄₈₇, H₄₈₈, H₄₈₉, H₄₉₀, H₄₉₁, H₄₉₂, H₄₉₃, H₄₉₄, H₄₉₅, H₄₉₆, H₄₉₇, H₄₉₈, H₄₉₉, H₅₀₀, H₅₀₁, H₅₀₂, H₅₀₃, H₅₀₄, H₅₀₅, H₅₀₆, H₅₀₇, H₅₀₈, H₅₀₉, H₅₁₀, H₅₁₁, H₅₁₂, H₅₁₃, H₅₁₄, H₅₁₅, H₅₁₆, H₅₁₇, H₅₁₈, H₅₁₉, H₅₂₀, H₅₂₁, H₅₂₂, H₅₂₃, H₅₂₄, H₅₂₅, H₅₂₆, H₅₂₇, H₅₂₈, H₅₂₉, H₅₃₀, H₅₃₁, H₅₃₂, H₅₃₃, H₅₃₄, H₅₃₅, H₅₃₆, H₅₃₇, H₅₃₈, H₅₃₉, H₅₄₀, H₅₄₁, H₅₄₂, H₅₄₃, H₅₄₄, H₅₄₅, H₅₄₆, H₅₄₇, H₅₄₈, H₅₄₉, H₅₅₀, H₅₅₁, H₅₅₂, H₅₅₃, H₅₅₄, H₅₅₅, H₅₅₆, H₅₅₇, H₅₅₈, H₅₅₉, H₅₆₀, H₅₆₁, H₅₆₂, H₅₆₃, H₅₆₄, H₅₆₅, H₅₆₆, H₅₆₇, H₅₆₈, H₅₆₉, H₅₇₀, H₅₇₁, H₅₇₂, H₅₇₃, H₅₇₄, H₅₇₅, H₅₇₆, H₅₇₇, H₅₇₈, H₅₇₉, H₅₈₀, H₅₈₁, H₅₈₂, H₅₈₃, H₅₈₄, H₅₈₅, H₅₈₆, H₅₈₇, H₅₈₈, H₅₈₉, H₅₉₀, H₅₉₁, H₅₉₂, H₅₉₃, H₅₉₄, H₅₉₅, H₅₉₆, H₅₉₇, H₅₉₈, H₅₉₉, H₆₀₀, H₆₀₁, H₆₀₂, H₆₀₃, H₆₀₄, H₆₀₅, H₆₀₆, H₆₀₇, H₆₀₈, H₆₀₉, H₆₁₀, H₆₁₁, H₆₁₂, H₆₁₃, H₆₁₄, H₆₁₅, H₆₁₆, H₆₁₇, H₆₁₈, H₆₁₉, H₆₂₀, H₆₂₁, H₆₂₂, H₆₂₃, H₆₂₄, H₆₂₅, H₆₂₆, H₆₂₇, H₆₂₈, H₆₂₉, H₆₃₀, H₆₃₁, H₆₃₂, H₆₃₃, H₆₃₄, H₆₃₅, H₆₃₆, H₆₃₇, H₆₃₈, H₆₃₉, H₆₄₀, H₆₄₁, H₆₄₂, H₆₄₃, H₆₄₄, H₆₄₅, H₆₄₆, H₆₄₇, H₆₄₈, H₆₄₉, H₆₅₀, H₆₅₁, H₆₅₂, H₆₅₃, H₆₅₄, H₆₅₅, H₆₅₆, H₆₅₇, H₆₅₈, H₆₅₉, H₆₆₀, H₆₆₁, H₆₆₂, H₆₆₃, H₆₆₄, H₆₆₅, H₆₆₆, H₆₆₇, H₆₆₈, H₆₆₉, H₆₇₀, H₆₇₁, H₆₇₂, H₆₇₃, H₆₇₄, H₆₇₅, H₆₇₆, H₆₇₇, H₆₇₈, H₆₇₉, H₆₈₀, H₆₈₁, H₆₈₂, H₆₈₃, H₆₈₄, H₆₈₅, H₆₈₆, H₆₈₇, H₆₈₈, H₆₈₉, H₆₉₀, H₆₉₁, H₆₉₂, H₆₉₃, H₆₉₄, H₆₉₅, H₆₉₆, H₆₉₇, H₆₉₈, H₆₉₉, H₇₀₀, H₇₀₁, H₇₀₂, H₇₀₃, H₇₀₄, H₇₀₅, H₇₀₆, H₇₀₇, H₇₀₈, H₇₀₉, H₇₁₀, H₇₁₁, H₇₁₂, H₇₁₃, H₇₁₄, H₇₁₅, H₇₁₆, H₇₁₇, H₇₁₈, H₇₁₉, H₇₂₀, H₇₂₁, H₇₂₂, H₇₂₃, H₇₂₄, H₇₂₅, H₇₂₆, H₇₂₇, H₇₂₈, H₇₂₉, H₇₃₀, H₇₃₁, H₇₃₂, H₇₃₃, H₇₃₄, H₇₃₅, H₇₃₆, H₇₃₇, H₇₃₈, H₇₃₉, H₇₄₀, H₇₄₁, H₇₄₂, H₇₄₃, H₇₄₄, H₇₄₅, H₇₄₆, H₇₄₇, H₇₄₈, H₇₄₉, H₇₅₀, H₇₅₁, H₇₅₂, H₇₅₃, H₇₅₄, H₇₅₅, H₇₅₆, H₇₅₇, H₇₅₈, H₇₅₉, H₇₆₀, H₇₆₁, H₇₆₂, H₇₆₃, H₇₆₄, H₇₆₅, H₇₆₆, H₇₆₇, H₇₆₈, H₇₆₉, H₇₇₀, H₇₇₁, H₇₇₂, H₇₇₃, H₇₇₄, H₇₇₅, H₇₇₆, H₇₇₇, H₇₇₈, H₇₇₉, H₇₈₀, H₇₈₁, H₇₈₂, H₇₈₃, H₇₈₄, H₇₈₅, H₇₈₆, H₇₈₇, H₇₈₈, H₇₈₉, H₇₉₀, H₇₉₁, H₇₉₂, H₇₉₃, H₇₉₄, H₇₉₅, H₇₉₆, H₇₉₇, H₇₉₈, H₇₉₉, H₈₀₀, H₈₀₁, H₈₀₂, H₈₀₃, H₈₀₄, H₈₀₅, H₈₀₆, H₈₀₇, H₈₀₈, H₈₀₉, H₈₁₀, H₈₁₁, H₈₁₂, H₈₁₃, H₈₁₄, H₈₁₅, H₈₁₆, H₈₁₇, H₈₁₈, H₈₁₉, H₈₂₀, H₈₂₁, H₈₂₂, H₈₂₃, H₈₂₄, H₈₂₅, H₈₂₆, H₈₂₇, H₈₂₈, H₈₂₉, H₈₃₀, H₈₃₁, H₈₃₂, H₈₃₃, H₈₃₄, H₈₃₅, H₈₃₆, H₈₃₇, H₈₃₈, H₈₃₉, H₈₄₀, H₈₄₁, H₈₄₂, H₈₄₃, H₈₄₄, H₈₄₅, H₈₄₆, H₈₄₇, H₈₄₈, H₈₄₉, H₈₅₀, H₈₅₁, H₈₅₂, H₈₅₃, H₈₅₄, H₈₅₅, H₈₅₆, H₈₅₇, H₈₅₈, H₈₅₉, H₈₆₀, H₈₆₁, H₈₆₂, H₈₆₃, H₈₆₄, H₈₆₅, H₈₆₆, H₈₆₇, H₈₆₈, H₈₆₉, H₈₇₀, H₈₇₁, H₈₇₂, H₈₇₃, H₈₇₄, H₈₇₅, H₈₇₆, H₈₇₇, H₈₇₈, H₈₇₉, H₈₈₀, H₈₈₁, H₈₈₂, H₈₈₃, H₈₈₄, H₈₈₅, H₈₈₆, H₈₈₇, H₈₈₈, H₈₈₉, H₈₉₀, H₈₉₁, H₈₉₂, H₈₉₃, H₈₉₄, H₈₉₅, H₈₉₆, H₈₉₇, H₈₉₈, H₈₉₉, H₉₀₀, H₉₀₁, H₉₀₂, H₉₀₃, H₉₀₄, H₉₀₅, H₉₀₆, H₉₀₇, H₉₀₈, H₉₀₉, H₉₁₀, H₉₁₁, H₉₁₂, H₉₁₃, H₉₁₄, H₉₁₅, H₉₁₆, H₉₁₇, H₉₁₈, H₉₁₉, H₉₂₀, H₉₂₁, H₉₂₂, H₉₂₃, H₉₂₄, H₉₂₅, H₉₂₆, H₉₂₇, H₉₂₈, H₉₂₉, H₉₃₀, H₉₃₁, H₉₃₂, H₉₃₃, H₉₃₄, H₉₃₅, H₉₃₆, H₉₃₇, H₉₃₈, H₉₃₉, H₉₄₀, H₉₄₁, H₉₄₂, H₉₄₃, H₉₄₄, H₉₄₅, H₉₄₆, H₉₄₇, H₉₄₈, H₉₄₉, H₉₅₀, H₉₅₁, H₉₅₂, H₉₅₃, H₉₅₄, H₉₅₅, H₉₅₆, H₉₅₇, H₉₅₈, H₉₅₉, H₉₆₀, H₉₆₁, H₉₆₂, H₉₆₃, H₉₆₄, H₉₆₅, H₉₆₆, H₉₆₇, H₉₆₈, H₉₆₉, H₉₇₀, H₉₇₁, H₉₇₂, H₉₇₃, H₉₇₄, H₉₇₅, H₉₇₆, H₉₇₇, H₉₇₈, H₉₇₉, H₉₈₀, H₉₈₁, H₉₈₂, H₉₈₃, H₉₈₄, H₉₈₅, H₉₈₆, H₉₈₇, H₉₈₈, H₉₈₉, H₉₉₀, H₉₉₁, H₉₉₂, H₉₉₃, H₉₉₄, H₉₉₅, H₉₉₆, H₉₉₇, H₉₉₈, H₉₉₉, H₁₀₀₀, H₁₀₀₁, H₁₀₀₂, H₁₀₀₃, H₁₀₀₄, H₁₀₀₅, H₁₀₀₆, H₁₀₀₇, H₁₀₀₈, H₁₀₀₉, H₁₀₁₀, H₁₀₁₁, H₁₀₁₂, H₁₀₁₃, H₁₀₁₄, H₁₀₁₅, H₁₀₁₆, H₁₀₁₇, H₁₀₁₈, H₁₀₁₉, H₁₀₂₀, H₁₀₂₁, H₁₀₂₂, H₁₀₂₃, H₁₀₂₄, H₁₀₂₅, H₁₀₂₆, H₁₀₂₇, H₁₀₂₈, H₁₀₂₉, H₁₀₃₀, H₁₀₃₁, H₁₀₃₂, H₁₀₃₃, H₁₀₃₄, H₁₀₃₅, H₁₀₃₆, H₁₀₃₇, H₁₀₃₈, H₁₀₃₉, H₁₀₄₀, H₁₀₄₁, H₁₀₄₂, H₁₀₄₃, H₁₀₄₄, H₁₀₄₅, H₁₀₄₆, H₁₀₄₇, H₁₀₄₈, H₁₀₄₉, H₁₀₅₀, H₁₀₅₁, H₁₀₅₂, H₁₀₅₃, H₁₀₅₄, H₁₀₅₅, H₁₀₅₆, H₁₀₅₇, H₁₀₅₈, H₁₀₅₉, H₁₀₆₀, H₁₀₆₁, H₁₀₆₂, H₁₀₆₃, H₁₀₆₄, H₁₀₆₅, H₁₀₆₆, H₁₀₆₇, H₁₀₆₈, H₁₀₆₉, H₁₀₇₀, H₁₀₇₁, H₁₀₇₂, H₁₀₇₃, H₁₀₇₄, H₁₀₇₅, H₁₀₇₆, H₁₀₇₇, H₁₀₇₈, H₁₀₇₉, H₁₀₈₀, H₁₀₈₁, H₁₀₈₂, H₁₀₈₃, H₁₀₈₄, H₁₀₈₅, H₁₀₈₆, H₁₀₈₇, H₁₀₈₈, H₁₀₈₉, H₁₀₉₀, H₁₀₉₁, H₁₀₉₂, H₁₀₉₃, H₁₀₉₄, H₁₀₉₅, H₁₀₉₆, H₁₀₉₇, H₁₀₉₈, H₁₀₉₉, H₁₁₀₀, H₁₁₀₁, H₁₁₀₂, H₁₁₀₃, H₁₁₀₄, H₁₁₀₅, H₁₁₀₆, H₁₁₀₇, H₁₁₀₈, H₁₁₀₉, H₁₁₁₀, H₁₁₁₁, H₁₁₁₂, H₁₁₁₃, H₁₁₁₄, H₁₁₁₅, H₁₁₁₆, H₁₁₁₇, H₁₁₁₈, H₁₁₁₉, H₁₁₂₀, H